

Wähle „Edit existing import“ und Dein Projekt

diggerQt

Create new import

Edit existing import

Delete

Name	Detail
Bergues	GPS Exchange Driver [GPX] File: Bergues.gpx
KretaPOIs	GPS Exchange Driver [GPX] File: Kreta_POI.gpx
PereiraAuffahrt	GPS Exchange Driver [GPX] File: PortugalAuffahrt.gpx
Portugal2017_Elvas	GPS Exchange Driver [GPX] File: Elvas_CampoMaior.gpx
PraiasPortugal	GPS Exchange Driver [GPX] File: PraiasPortugal.gpx
Shell	GPS Exchange Driver [GPX] File: Shell Deutschland.gpx
TankenFrankreich	GPS Exchange Driver [GPX] File: TankenFrankreich.gpx


Restore this page

< Back

Next >

Cancel

Im „Driver Type“ kannst Du Deinen Dateityp wählen, ich bevorzuge gpx, aber csv und andere werden auch unterstützt.



The screenshot shows the 'diggerQt' application window. It has a title bar with a close button and the text 'diggerQt'. The main content area is divided into three sections: 'Driver Type', 'Imported data meaning', and 'Details'. The 'Driver Type' section shows 'GPS Exchange Driver [GPX]' selected, with a 'Properties...' button to the right. The 'Imported data meaning' section shows 'Meaning of imported data is icon'. The 'Details' section shows 'File: Shell Deutschland.gpx' and '1956 records'. At the bottom, there is a green status bar with the text 'connected'. Below the status bar are four buttons: 'Restore this page', '< Back', 'Next >', and 'Cancel'. A mouse cursor is pointing at the 'Next >' button.

Driver Type

GPS Exchange Driver [GPX] Properties...

Imported data meaning

Meaning of imported data is icon

Details

File: Shell Deutschland.gpx
1956 records

connected

Restore this page < Back Next > Cancel

Next >

mit den Min und Max – zoom Werten beeinflusst Du die Sichtbarkeit der Symbole je Zoomlevel

Object appearance assignment

single object for all records

multiple objects determined by data of column

name


Imported layer opacity

100%

Zoom tester

1:3600

List of object types

Condition value	Style	Min.icon zoom	Max.icon zoom	Min.text zoom	Max.text zoom
default		detail	1:200000	detail	1:2000

Restore this page

< Back

Next >

Cancel

Die Werte hier sind in Deiner Datei gesetzt.

Wenn Du nur in der Spalte Name beide Werte (name und description) aufnimmst, erscheint die Bezeichnung in der Übersichtsliste und beim Klick auf die Karte in dem Eigenschaftenfensterchen.

diggerQt

Data source type

☒ user data

☐ speed cameras

Additional information visibility

Check [Name](#) if you want the content of the source field shown in table as Name.

Check [Note](#) if you want to import columns poured together into the table column named Note. This text will also be reported by the Bubble function (a click on map object).

Check [Text on map](#) if you want the content of the source field visible along with the icon on the map.

	Source name	Name	Note	Text on map
Source column 1	name	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Source column 2	comment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Source column 3	description	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Source column 4	class_type	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Source column 5	elevation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Source column 6	time	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Source column 7	symbol_name	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Restore this page

< Back

Next >

Cancel

Generierung starten und fertige Datei auf's Android kopieren.

